

Amery Wirtshafter, M.D. David Robbins, M.D.

DISCHARGE INSTRUCTIONS FOLLOWING VASECTOMY

LEAVING THE HOSPITAL/OFFICE:

1. You will need to have someone take you home following the surgery

WHEN YOU GET HOME:

- 1. Stay off your feet as much as possible for the next 12 hours. This will reduce the chance of scrotal swelling.
- 2. Wear cotton, JOCKEY undershorts for increase support and comfort.
- 3. Avoid heavy lifting or vigorous exercise for seven (7) days after surgery.
- 4. You can shower the day after surgery. Avoid rubbing the scrotum when drying.
- 5. Sexual activity can begin one week after your vasectomy when scrotal swelling and tenderness subside
- 6. <u>CONTRACEPTIVE PRECAUTIONS ARE ABSOLUTELY NECESSARY UNTIL THE SEMEN ANALYSIS PRODUCES NEGATIVE RESULTS.</u>
- 7. Eight to Twelve (8-12) weeks after your vasectomy, you need to do a Semen Analysis.
- 8. Please call our office immediately if you have any post op complications including:
 - a. Infection
 - b. Bleeding
 - c. Increasing pain
 - d. Swelling
 - e. Temperature of 101
- 9. If you have any questions, please call the office at (305) 944-0025.

PATIENT SIGNATURE	DATE